

Ship date 17/9/22

Work Order ID 166404

166404

Page 1

Wednesday, September 20, 2017 11:36:20 A

Item ID: D3575-5 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Cargo Floor Protector
 Start Date: 9/20/2017 Start Qty: 1.00 *1* Cust Item ID:
 Required Date: 9/21/2017 Req'd Qty: 1.00 *1* Customer:
 Reference: SO132438

Approvals: Process Plan: LM Date: 17/9/20 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3575	Rev A								
100	FLOW WATER JET	0.00							
100									
Waterjet	Memo	0.13							
FLOW CNC Waterjet	1-Cut as per Dwg D3575 Dwg Rev: <u>A</u> Prog Rev: <u>A</u> 2- Deburr if necessary								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.01							
Quality Control									
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.02							
Quality Control									

DAE
38
9-89
SEP 25 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 166404

Wednesday, September 20, 2017 11:36:20 A

166404

Page 2

Item ID: D3575-5 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Cargo Floor Protector
Start Date: 9/20/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 9/21/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference: SO132438

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Small Fab Small Fab	Small Fab Memo Deburr if necessary.	0.00 0.13							
140 *140* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.02							
150 *150* Packaging Packaging	Identify as per dwg & Stock Location: <u>1K6</u> Memo	0.00 0.01							

/ SEP 25 2017

DAS
6
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : ☐							

Work Order ID 166404***166404***

Wednesday, September 20, 2017 11:36:20 A

Item ID: D3575-5 Accept ***N900040100*** Setup Start ***N**
Revision ID:
Item Name: Cargo Floor Protector Stop ***N**
Start Date: 9/20/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 9/21/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference: SO132438

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***N**
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***N**

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.10

Quality Control

DAS
21
9-89

SEP 26 2017

DAS
21
9-89

SEP 26 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Picklist Print

Wednesday, September 20, 2017 11:36:19 AM

Page 1

Work Order ID: 166404

166404

Parent Item: D3575-5

D3575-5

Parent Item Name: Cargo Floor Protector

Start Date: 9/20/2017

Required Date: 9/21/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev :A New Issue 07.07.23 EC verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MLEXS.125-F60029-04		Purchased	No			100	sf	6,952.380	10.666	11.22737			

MI FXS 125-F60029-04

GE PLASTICS LEXAN SHEET (DARK GREY)

09/17/09/23

Location

Loc Qty

Loc Code

mat

825.94

m137737

825.94

MAT018

6126.44

m137737

2286.44

m138511

3840

12

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					



DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>#</i>	DRAWING NO. D3575	REV. A SHEET 1 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8
A	07.06.08	NEW ISSUE	

RELEASED
07.06.08



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 166404
LM 17/9/20

D3575-1 CABIN FLOOR PROTECTOR (SHOWN)
D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3575	REV. A SHEET 2 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8

RELEASED
07.06.27



D3575-3 CABIN FLOOR PROTECTOR

NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3575	REV. A SHEET 3 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8

**D3575-4 CABIN FLOOR PROTECTOR****NOTES:**

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3575	REV. A SHEET 4 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8

RELEASED
07.06.27



D3575-5 CABIN FLOOR PROTECTOR (SHOWN)
D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD		Work Order: 166404
Description: Cabin Floor Protector		Part Number: D3575-5
Inspection Dwg: D3575	Rev: A	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	Ø 2.999	1		V: D-02	
3.38	+/-0.030	3.38	1		Typ	
6.50	+/-0.030	6.50	1			
26.13	+/-0.030	26.13	1			
30.13	+/-0.030	30.13	1			
2.00	+/-0.030	2.00	1			
3.50	+/-0.030	3.50	1			
14.25	+/-0.030	14.25	1			
25.13	+/-0.030	25.13	1			
29.38	+/-0.030	29.38	1			
30.38	+/-0.030	30.38	1			
31.50	+/-0.030	31.50	1			
1.00	+/-0.030	1.00	1			
4.38	+/-0.030	4.38	1			
14.50	+/-0.030	14.50	1			
16.00	+/-0.030	16.00	1			
23.13	+/-0.030	23.13	1			
26.88	+/-0.030	26.88	1			
27.69	+/-0.030	27.69	1			
1.00	+/-0.030	1.00	1			
3.75	+/-0.030	3.75	1			
9.63	+/-0.030	9.63	1			
16.13	+/-0.030	16.13	1			
28.06	+/-0.030	28.06	1			
32.15	+/-0.030	32.15	1			

Measured by: <u> a </u>	Audited by: <u> 38 </u>	Prototype Approval: N/A
Date: 17/09/23	Date: SEP 25 2017	Date: N/A

Rev	Date	Change	Revised by	Approved
A	08.01.16	New Issue	KJ/DD	<u> [Signature] </u>